Safety Data Sheet



Revision Date 15-Jun-2016

Version 5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

 Product Code(s)
 18-EU9600-0, 18-EU9600-2, 18-EU9600-2R, 18-EU9600-5, 18-EU9600-6, 18-EU9600-7

 Product name
 Sierra Premium GL-5 80W-90 Gear Oil

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

All Other Uses

Sold to the general public?	Yes
Recommended Use	Gear Oil, Lubricant

Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer	Supplier
Hicks Oils	Sierra International
845 N. Hickory Street	1 Sierra Place
Du Quoin,IL 62832	Litchfield, IL 62056
TEL: 1-618-542-5431	Tel: 1-217-324-9487

For further information, please contact

E-mail address	frode.hammer@seastarsolutions.com
1.4. Emergency telephone number	

Emergency Telephone

No information available

Emergency Telephone - §4	45 - (EC)1272/2008
Europe	112
Austria	+43 1 406 43 43
Belgium	070 245 245
Denmark	Giftlinjen 82 12 12 12
Finland	09 471977
France	+ 33 (0) 1 45 42 59 59
Germany	06131/19240 Mainz
_	030/19240 Berlin
	06841/19240 Homburg
	0228/19240 Bonn
Ireland	01 8092566 or 01 8379964
Italy	118
Netherlands	Nationaal Vergiftigingen Informatie Centrum 030-274 8888
Norway	Giftinformasjonen -22591300
Portugal	CIAV 808 250 143
Spain	+ 34 91 562 04 20
Sweden	112
	08-331231
United Kingdom	08454 24 24 24
_	111

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity

Category 3 - (H412)

2.2. Label elements Product identifier

Hazard statements

H412 - Harmful to aquatic life with long lasting effects Contains Long-chain alkyl amine

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards

May be harmful in contact with skin Harmful to aquatic life

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Chemical nature of the preparation

Petroleum Lubricating Fluid.

Chemical name	EC No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Petroleum distillates, solvent dewaxed heavy paraffinic	265-169-7	64742-65-0	50.05	Carc. 1B (H350)	01-2119471299
Residual Oils (petroleum), solvent-dewaxed	265-166-0	64742-62-7	43.67	Carc. 1B (H350)	01-2119480472
Long-chain alkyl amine	Not Listed	-	0.26-0.52	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available
Long-chain alkenyl amine	Not Listed	-	0.05-0.26	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Eye Dam. 1 (H318) STOT SE 3 (H335) STOT RE 2 (H373)	No data available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice

No hazards which require special first aid measures.

Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.	
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.	
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.	
Ingestion	Do NOT induce vomiting. Consult a physician.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

- **Small Fires** Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.
- Large Fires Contact emergency personnel.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Combustible material

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection

Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations.

For emergency responders

Clean up area with absorbent material and place in closed containers for disposal.

6.2. Environmental precautions

Collect spillage.

6.3. Methods and material for containment and cleaning up

Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

General Hygiene Considerations

Remove and wash contaminated clothing before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidlines for storage of material for amount stored.

7.3. Specific end use(s)

Specific Uses Gear Oil, Lubricant.

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Derived No Effect Level (DNEL)	No information available.
Predicted No Effect Concentration (PNEC)	No information available.
8.2. Exposure controls	
Engineering Controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye/face Protection Skin and body protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection. Suitable protective clothing.
Environmental exposure controls	No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state Amber colored liquid Mild petroleum odor Mild Appearance Odor sulfur odor Color Odor threshold No information available amber Property Values Remarks • Method No information available pН Melting point/freezing point No information available **Boiling Point/Range** No information available Flash point > 93.3 °C / > 200 °F No information available **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limit in Air Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Specific gravity 0.89 No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available 130-140 @40C cSt Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available 9.2. Other information Softening point No information available Molecular weight No information available **VOC Content** No information available Density No information available Bulk density No information available

9.1. Information on basic physical and chemical properties

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Hazardous polymerization

Hazardous polymerization does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Excessive heat. High energy sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information		
Product does not present an acute t	oxicity hazard based on known or supplied information.	
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.	
Eye contact	Avoid contact with eyes. May cause irritation.	
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking. May cause sensitization by skin contact.	
Ingestion	Do NOT taste or swallow.	
Unknown Acute Toxicity	0% of the mixture consists of ingredient(s) of unknown toxicity.	
The following values are calculated based on chapter 3.1 of the GHS document		

eu baseu on c
5,087.00
2,007.00
30,192.00

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Residual Oils (petroleum), solvent-dewaxed	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat)4 h
Long-chain alkyl amine	612 mg/kg (Rat)	251 mg/kg (Rat)	157 ppm (Rat) 4h
Long-chain alkenyl amine	1689 mg/kg(Rat)		

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.

Chemical name		European Union
Petroleum distillates, solvent dewaxed heavy paraffinic		Carc. 1B
Residual Oils (petroleum), solvent-dewaxed		Carc. 1B
Reproductive toxicity	No information available.	

STOT - single exposure No ir	formation available.
------------------------------	----------------------

STOT - repeated exposure	No information available.
--------------------------	---------------------------

Aspiration hazard

No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life Harmful to aquatic life with long lasting effects

5.19% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, solvent	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
dewaxed heavy paraffinic		mg/L LC50	ÉC50
Residual Oils (petroleum),	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
solvent-dewaxed		mg/L LC50	ÉC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO	
14.1 UN-No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Not Applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to	No information available

Annex II of MARPOL 73/78 and the IBC Code

RID14.1UN-No14.2Proper shipping name14.3Hazard Class14.4Packing group14.5Environmental Hazard14.6Special Provisions	Not regulated Not regulated Not regulated Not Applicable Not Applicable None
ADR 14.1 UN-No 14.2 Proper shipping name 14.3 Hazard Class 14.4 Packing group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not Applicable None
ICAO 14.1 UN-No 14.2 Proper shipping name 14.3 Hazard Class 14.4 Packing group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not Applicable None
IATA 14.1 UN-No 14.2 Proper shipping name 14.3 Hazard Class 14.4 Packing group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not Applicable None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

STEL (Short Term Exposure Limit)

KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

STEL

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H350 - May cause cancer if swallowed H302 - Harmful if swallowed H311 - Toxic in contact with skin H330 - Fatal if inhaled H314 - Causes severe skin burns and eve damage H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TŴA TWA (time-weighted average) Ceiling Maximum limit value

Issuing Date 12-Feb-2014 **Revision Date** 15-Jun-2016 **Reason Note** SDS sections updated, 1.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet